



Dolan Chemical Laboratory  
4001 Bixby Road  
Groveport, OH 43125  
T: 614-836-4221, Audinet 210-4221  
F: 614-836-4168, Audinet 210-4168  
<http://aepenv/labs>

## Water Analysis

**Location: Mountaineer Plant**

**Report Date: 3/29/2012**

### Bioreactor Effluent

**Sample Number: 121379-001**

**Date Collected: 03/23/2012 07:30**

**Date Received: 3/23/2012**

Parameter	Result	Units	RL	MDL	Analysis By	Analysis Date/Time	Method
Selenium, Se	1.0	ug/L	0.5	0.1	DPC	03/27/2012 15:37	EPA 200.8

**Brian Snyder, Chemist II**

Email [bssnyder@aep.com](mailto:bssnyder@aep.com)

Tel. 614-836-4224

Fax 614-836-4168

Audinet 210-4224

**THIS TEST REPORT RELATES ONLY TO THE ITEMS TESTED AND SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT WRITTEN APPROVAL OF THE LABORATORY. ALL TEST RESULTS MEET ALL OF THE REQUIREMENTS OF THE ACCREDITING AUTHORITY, UNLESS OTHERWISE NOTED.**